Investment program 2019

2019 Investment program is structured in 3 sections, based on objectives and projects magnitude. Total investments value allocated for 2019 is 63,822,404 USD, according below table:

	Budget 2019
Petromidia, from which:	50,551,766 USD
Development	6,313,127 USD
Operational Support	3,474,287 USD
Compliance	14,282,567 USD
Capital maintenance	26,481,785 USD
Vega, from which:	8,049,382 USD
Development	80,118 USD
Compliance	4,143,247 USD
Capital maintenance	3,826,017 USD
RIS Profit	5,221,256 USD
Refinery Total Investments	63,822,404 USD

Development

This category includes projects for static and dynamic equipment revamp and modernization, in order to keep in good condition for safe operation of the Refineries units.

From this category, a very important place is held by projects from "Storage and logistics" area, which, consecutive to processing capacity of the refinery increasing to 5mil.tones/year after "2010 Package" implementation, will solve refinery problems regarding storage possibilities, blending and deliveries of the products in order to get a maximum efficiency by a rational use of all components. Projects from this category:

❖ Increase railway diesel loading capacity

Project consist in upgrading the CF ramp for diesel loading / unloading including: 2 new bottom loading / unloading arms for diesel, one for each loading point and 2 new diesel pipeline sections for connecting the new pump to the new CF ramp - with partial re-use of an existing DN 250 pipeline and also new diesel collector (for the new loading arms) at CF ramp and connections to the loading arms; new pump for diesel loading activity with a nominal flow rate of 250 mc/h, powered through a frequency converter in order to allow the loading of one/two RTCs; will be located on the pump platform from Objective 431; new pump for diesel unloading activity and new connection pipelines. The pump will be mounted in fuel oil ramp, on a common platform with the fuel oil unloading pump; 2 new unidirectional skids for diesel (fiscal) and degassers for taking thermal dilatations (separate from the one included in the skid); Needed utilities stations.

Following project implementation, the loading capacity of diesel for domestic market on the Automated Ramp will be increased with 15 kt/month;

❖ Maximize usage of 185 unit condensate thermal potential

The project main objective consist in increasing Refinery Energy efficiency by:

- o reducing EII with 0.29 points,
- o by maximizing usage of condensate from amine unit.

❖ Modernization of the In Line Blending Unit

- o To make In Line Blending system, a fully operational, controlled and automated process in order to obtain quality products.
- Optimizing the blends composition to the lowest price of the product, with a greater control over the giveaway and reducing in the same time re-blending operations.
- o Implementation and use in DILB of an optimization software for additives.
- C97, C98 tanks configuration to DILB software interface (field works mechanical, electrical and instrumentation will be performed in "Rehabilitation of C100 and DV20 tanks and relocation to other storage and delivery paths" project).
- o Maintain and assure the In Line Blending system reliability at the lowest cost possible for at least the next five years.

Compliance

This category includes compulsory investments required by environmental and safety regulations:

Expire authorization ISCIR for static equipment (ISCIR 2019-2020)

Project consists in aligning to legislation requirements in terms of safety functionality of the refinery equipment.

In July 2010 occurred new modifications of the existing legislation, namely technical prescriptions C4, C6 and C10, 2010 edition introduced the obligation to prepare Examination, Checks and Investigation (EVI) Programs for all equipment and pressurized pipes older than 12÷18 years in order to perform Technical Checks in Use for Examinations with Technical Character (VTU-IECT).

As of 2004 the Beneficiary was required to prepare Technical Documentation for each pipe and to authorize all pressurized pipes owned. By project implementation, the following benefits are expected:

- Running with the refinery units in safety conditions according to legislation in force, as a
 result of detailed verifications which will be performed during this evaluation program
 which will have as a result the technical evaluation of the equipment after specified years
 of service, as well as repair or elimination of the faults which will appear after the checks;
- Obtaining the functioning authorization for the pressurized equipment, pipes and lifting equipment as per Technical Prescriptions

The project main objective consist in running with the refinery units in safety conditions according to legislation in force, as a result of detailed verifications which will be performed during this evaluation program which will have as a result the technical evaluation of the equipment after N years of service, as well as repair or elimination of the faults which will appear after the checks.

❖ Fire-fighting Water Main Replacement section T003

- o Increase the safety level for personnel and assets.
- o Increase the level of prevention and protection in case of emergency situations (fire) by providing the necessary operating conditions for firefighting system: 12barg in standby mode and 16barg in case of fire.

Capital Maintenance

❖ Rehabilitation tank T103-417E

- O To have the tank fully operational from technological and safety point-of-view by ensuring the needed facilities for proper storage.
- Repair T103 tank and observing the legislation in force (893/2005 HG) concerning the limitation of volatile compounds.
- o Reduce gasoline losses through evaporation.

Rehabilitation tank C100 and connection to delivery paths

- Ensuring the needed facilities for safe operation of the C100 tank from technological and safety point-of-view
- o Running with Diesel In Line Blending Unit through automation and use in a proper operational way diesel component from HPM, HPR, HDV and MHC units
- o Increase storage capacity for diesel component and finished product in order to ensure operational and logistic flexibility and to operate the refinery at a processing capacity of 5 mil tons / year.

THE BOARD OF DIRECTORS:

Chairman

Saduokhas Meraliyev

Member and General Manager

Yedil Utekov

Interim Member

Alexey Golovin

Member

Nicolae Bogdan Codruţ Stănescu

Membru

Mihai-Liviu Mihalache

Financial Director

Mircea Ștefan Stănescu

Made by:

Process & Engineering Manager

Mircea Moraru

PPO Manager Raluca Lainer

DMCI Manager Cristian Jivu

Utilities Plant Manager Boris Ional Bucur

PLAN CAPEX 2019 BU REFINING

Nr.		Project Name		stimated Total roject Budget		2019 Budget (including RIS profit)
	Ref	fininig	\$	229.589.925	\$	63.822.404
	Pe	tromidia	\$	179.995.927	\$	50.986.132
	Was (Petromidia Development	\$	14.117.502	\$	6.944.400
2		100C1 Atmospheric distillation column- increase heat removal from gasoil pumparound Revamp Fuel Oil ramp to relocate black products from automated ramp	<u>\$</u>	2.494.378 2.381.930	\$	1.272.598 1.687.488
3		Increase railway diesel loading capacity	\$	637.837	\$	785.975
4		Improve 180C2 Coker fractionator operation by installing Light Coker GasOil pumparound	\$	2.169.031	\$	583.606
<u>5</u>		Increase Coker severity by introducing HCGO recycle New Condensate pipeline between G291AB condensate pumps from Petrochemicals and UTM battery	\$	355.550 882.745	\$ \$	391 (4.585)
7		Modernization of in line blending unit-Implementation	\$	1.998.046	\$	1.169.572
8		Increase FCC feed preheat 138FE2	\$	828.784	\$	32.825
9		Maximize usage of 185 unit condensate thermal potential New HP pipelines 36 barg between Ref UTM limit-node A and RPP node H	\$	1.073.249	\$	437.529
10		Petromidia Operational	\$	1.295.953 160.718.159	\$	979.000 40.863.944
		Petromidia Operational - Operational Suport	\$	8.898.780	\$	3.771.793
11		MHC Debottleneck/VDU	\$	5.390.000		2.090.000
12		Improving the operability of the hexane ramp Increased capacity of storing gasoline RC in 343 objectives through reconfiguration of the Park and fa	\$	463.185 3.045.596		86.350 1.595.442
	2010	Petromidia Operational - Compliance	\$	42.109.340	\$	9.008.589
14		Vary-frequency converters for flow adjustments for pumps motors (instead of recalculating loop) -3		709.772	_	8.896
15 16		Detailed Design Engineering For Fire-Fighting System Rehabilitation Fire-fighting Water Main Replacement 2019	<u>\$</u>	986.871	\$	499.366 935.000
17		Rehabilitation of civil protection buildings	\$	935.000 951.442		76.788
18		Unclogging channel suction- Tasaul source	\$	356.462	\$	354.582
19 20		Chemical building for G1 Cooling Tower Expire puthorization ISCIR for static aggingment's (ISCIR 2017-2018 REM)	\$	364.024	\$	217.800
21		Expire authorization ISCIR for static equipment's (ISCIR 2017-2018 PEM) Expire authorization ISCIR for equipment's with due date in 2019, ISCIR 2018 PEM	\$ \$	11.453.750 4.895.290	\$	90.202 723.195
22		Expire authorization ISCIR for static equipment's (ISCIR PEM 2019-2020)	\$	20.422.900	\$	5.023.000
23		Install online wastewater parameters monitoring system	\$	438.195		402.366
24 25		Centralized system of warning and alarm in Petromidia Platform Restoring the storage capacity and operability of the warehouse for acids and bases	\$	543.950 791.561	\$	81.950 85.314
25		Replace Low NOx burnes at 130H1,H2,H3, Reformer Catalytic Unit	\$	2.499.065		(13)
27		Mounting online analyzers to monitor gaze arse at FCC, FH2 and SRU	\$	470.477		(11)
28		LOTO implementation in Petromidia	\$	481.971	\$	413.819
29		Drainage pumping station automation (5 pumping stations) Petromidia Operational - Capital maintenance	\$	112.182 109.710.038		96.337 28.083.562
30		Refinery 2020 General Turnaround	\$	33.590.700	\$	2.121.246
31		Rehabilitation of compressors 352 K111, K511, HPP Unit	\$	1.375.000	\$	1.375.000
32		Emergency works for unexpected capital maintenance 2019 Rehabilitation of fuel oil ramp facilities	\$	1.535.411 936.150		1.495.412 804.600
34		Replacement of VRU system at IPPA and CF Ramp	\$	1.193.414		1.116.287
35_		Replace Refinery static equipment 2019	\$	533.682	\$	534.250
36		Replacement of tubular bundles for 122S3C and 122S100 heat exchangers	\$	173.193	\$	173.193
37 38		Replace caustic tank 138-Me-V14 Rehabilitation and reconfiguration of the field equipment's from In Line Blending System	\$	165.000 1.281.867		165.000 1.144.532
39		LPG recovery from DCU gases	\$	5.212.253		4.465.548
40		Replace the strategical safety valves with double safety valves	\$	202.840		202.840
41 42		Crude oil pipeline rehabilitation between 50.000 storage tanks and DAV plant Replace field operators cabines	<u>\$</u> \$	180.145 160.000		180.229 176.000
43		Replace ignition and surveillance system at 138FH4 CO Boyler, FCC Unit	\$	530.825		74.536
44		Replacement of reactor 130R1R2R3	\$	3.113.196		2.106.007
45 46		Replacement of tubular bundle 100S12 heat exchanger, DAV Unit Rehabilitation of electrical connectors for fuel oil pipes, Ob. 415	<u>\$</u>	56.557 165.000	-	56.557 55.000
47		Replace pumps 715SP5R and 715SP6R	\$ \$	253.681		53.932
48		Repair work on tanks TL70, V26/1B and V27	\$	654.604	\$	200.234
49		Replacement of the actual carpet and vertical blinds in CCR	\$	85.822		94.404
50 51		Increasing Biodiesel unloading capacity through CF ramp RBI software implementation for HB plant	<u>\$</u> \$	880.000 684.300		198.000 441.754
52		Purchase reformer recycle hydrogen online analyzer for molecular weight	\$	72.727	\$	64.021
53		Rehabilitation parking on waiting and exit area from IPPA	\$	462.245	_	3.994
54 55		Refinery 2018 Shutdown Refinery 2018 Catalyst Change	<u>\$</u> \$	17.740.685 2.877.000	\$	779 256
56		Up-grade the existing acces control system - PEM	\$	12.750		14.025
57		Install acces control equipment for car drivers - PEM	\$	29.750		32.725
58		Rehabilitation of Roads 2018-2021	\$	127.500		140.250 330.000
59 60		Replace old 6 KV swithces and releys compartiments in power station SRA2-4, 301 Nitrogen Plant Replacement for all old turnstiles with new full-size turnstilles - PEM	\$	1.100.000 25.500	\$	28.050
61		Rehabilitation of utilities network piperacks, section CDEFU1	\$	1.310.595	\$	297.000
62		Replacement of Convective System 138FH4 CO Boiler, FCC Unit	\$	3.705.546	-	(1.406)
63 64		Installing a low pressure steam reboiler instead of the current means of bringing heat to the stripping Replacement of pumps P121-P6A,R (HPR) and pumps P122-P5A,R (HPM) with two new pumps serving		176.636 423.500	_	42.317 84.150
65		Rehabilitation of C100 tank and connection to delivery paths	\$	3.730.232	\$	2.952.025
66		Optimization of NSRU operation	\$	335.626		57.168
67 68		Replacement of absorbtion column 185C1 Rehabilitation V25/3 tank	<u>\$</u> \$	880.000 494.740	_	74.800 97.294
69		G3 cooling tower PI system implementation	\$	74.917		34.236
70		Reconstruction tank T103 and upgrade new firefighting system facilities and infrastructure	\$	1.064.596		382.864
71		Purchase shells of heat exchangers 180S5, 180E100, 180E101, 180E102 and tubes bundle of heat ed Reconstruction and upgrade of the slop oil tank S125 and modernization of the afferent firefighting fa		314.600 690.833		276.451 677.246
72 73		Reconstruction and upgrade of the slop oil tank \$125 and modernization of the afferent firefighting fall Replacement crossover and inlet system, HPP unit	\$	1.595.926		214.416
74		Improvement LPG recipes and transfer between spheres, loading ramp, Berth 9A	\$	550.000	\$	224.400
		Refinery 2019 Catalyst Change	\$	1.714.560		1.616.000
75		Replace 0.4kv equipment TGD 107/1 si TGD 109/1-Delay Coker Unit and AFPE	\$	1.268.300	- \$	138.161
76						
		FCC Unit Rehabilitation Rehabilitate LPG Ramp with mounting articulated loading arms on posts 7 and 10	\$	1.268.300 7.944.189 6.755.148	\$	1.114.464 157.339 1.795.976

80	Petromidia Non-Operational	\$	5.160.267	\$	3.177.788
81	Petromidia Non-Operational - IT	\$	4.660.267	\$	2.627.788
82	APC in all Refinery units	\$	3.964.001		
83	Implementation of electronic permit to work (EPTW)	\$	321.000		
84	Replace electric infrastructure Petromidia Data Center	\$	76.016		
85 86	Automation of evidence for pressure vessels, boilers, pressure pipes and lifting equipment IT non-standard equipments 2019	\$	228.000		
87	Replace UPS for PEM IT equipment's	\$	17.000 21.250	\$	
88	Implementation soft for weighing automatization on Ob431	\$	33.000	\$	
89	Petromidia Non-Operational - ADMINISTRATIVE	\$	500.000	\$	
90	Administrative building rehabilitation, PEM Platform	\$	100.000	\$	
91	New ventilation system-for RQC	\$	400.000	\$	
92	Petrochemicals	\$	22.346.439	\$	4.030.555
93	Petrochemicals Operational	\$	22.346.439	\$	
94	Petrochemicals Operational - Compliance	S	17.135.418	\$	
95 96	Expire authorization ISCIR for static equipment's (ISCIR 2019-2020 PET)	\$	6.463.045	-	
97	Expire authorization ISCIR for static equipment's (ISCIR 2018-2019 PET) Expire authorization ISCIR for static equipment's (ISCIR 2016-2017 PET)	\$	2.462.783 8.209.590	\$	
98	Expire authorization ISCIR for static equipment's (ISCIR 2016-2017 PET)	\$	709.286		
	Petrochemicals Operational - Capital maintenance	\$	5.211.021	\$	1.821.286
93	Bottom valves replacement of vessels V108A-E and V107, LDPE plant	\$	1.508.997	\$	
94	Rehabilitation of propylene tank F911	\$	486.719	\$	
95	Increase capacity for D209 column by increasing the Propylene polymer grade flow with a booster pu	\$	1.544.334	\$	77.719
96	Replace tubes for Intercoolers E103 and E104, LDPE Unit	\$	624.448		
97	Petrochemicals 2020 General Turnaround	\$	628.452		747.500
98	Monitoring and diagnosis system for K 101 si K 102 hypercompresors in LDPE plant	\$	418.072	_	(0)
	VEGA Povelegant	\$	27.247.559	\$	
99	VEGA Development Jet working point in Vega	\$	1.180.301 1.180.301	\$	
99	VEGA Operational	\$	26.067.258	\$	
	VEGA Operational - Compliance	\$	12.980.550	\$	
100	Mount floating membranes on hexane tank T7, T8, A64, A65, Vega Platform	\$	463.276	\$	424.252
101	VEGA Vapor recovery system at railway loading point	\$	1.907.601	\$	
102	Replacement of 140-C1 and 140-C2 coloumns	\$	1.529.204	\$	
103	Wastewater tank filling system	\$	482.584		
104	Expertise (PEVIT) for pressure equipments and metallic pipes authorized (ISCIR 2018)	\$	868.734		
105	Expertise (PEVIT) for pressure equipments and metallic pipes authorized (ISCIR 2020)	\$	1.607.100		110.174
106 107	New Boiler at heating station Vega Install mobile and adjustable bridge in unloading fuel oil ramp	\$	1.689.632 264.449		1.611.861 249.072
108	Purchased incinerator in Bitumen unit	\$	3.681.204		
109	Vapor recovery system at Auto loading points	\$	486.768		
	VEGA Operational - Capital maintenance	\$	13.086.707		
110	Replacement plates heat exchanger with welded plates heat exchanger.	\$	155.487	\$	(2.188)
111	Replacement of the General Distribution Switchboards in Vega Refining electrical stations (PT2)	\$	424.541	-	401.579
112	Replacing heat exchangers from the Heating Station (S6,S7,S9)	\$	187.991	\$	
113	Consolidation CF ramp	\$	169.091	\$	
114 115	Rehablitate tanks A52 Rehabilitate tank A63	\$	447.607 772.069	\$ \$	
116	Replacement of the high pressure motor-compressor assemblies (Resita 1, Resita 2, Resita 3)	\$	383.258		383.258
117	Replacement of the low pressure motor-compressor assemblies (Kesita 1, Kesita 2, Kesita 3)	\$	104.851		(2.483)
118	Replacement of the motor-pump assemblies with higher energy performance aggregate (cooling tower	_	316.800	\$	
119	Vega Corlatesti sewerage system pipe line replacing	\$		_	
120	Replace pump in Bitumen Unit	\$	153.580	\$	12.505
121	SCADA electric	\$	335.815		
122	Vega Shut Down 2018 (for mounting 140C1-C2)	\$	968.845_		378.838
123	Vega Shutdown 2020	\$	2.773.100		220.000
124	Purchase a pump for asphalt mass evacuation from VD unit	\$ \$	342.990 93.337	\$	
125 126	Consolidation of the CT Building and annexes Rehabilitation of Vega Buildings (2018-2023)	\$	1.265.000	\$	
127	Replace on-line analyzer for flue gases CT Vega	\$	261.113		
128	Replaced heater in VD unit	\$	2.997.292	\$	338.704
129	Replace heat exchangers 101-S1 and 101-S2, Vega DV Unit	\$	227.407	_	66.059
130	Optimize heating system for modified bitumen at BA1, BA2, BA3 tanks	\$	55.000	\$	46.750
131	Optimize heating system for raw material modified bitumen at B164 tank	\$			
132	Optimize RSE 65/80 loading at barrel ramp in Dearomatization unit	\$	27.500	\$	
133	Replace 101-B47 tank	\$	165.000	\$	
134	Connect A35 tank to 101-PS1 pump	\$	11.000 33.000		6.010 28.050
135 136	Rehabilitate B48 tank Rehabilitate B72 tank	\$ \$	33.000		
137	Rehabilitate B12 tank	\$			
138	Replace gasoline pump in the North Pump House	\$		\$	
	Indiana Sasanna hand or and the ort amb transa	-	23,000	. 7	

THE BOARD OF DIRECTORS:

Chairman Saduokhas Meraliyev

Member

Alexey Golovin

Member and General Manager

Yedil Utekov

Member

Mihai-Liviu Mihalache

Member

Nicolae Bogdan Codruţ Stănescu

Chief Financial Officer Mircea Ștefan Stănescu

Procese & Engineering Director

Mircea Moraru

PPO Director Raluca Lainer

DMC1 Director **Cristian Jivu**

Utilities Plant Planager Boris Ionel Bucur